

## Schema XMLPersonal.xsd


schema location: [XMLPersonal.xsd](#)  
targetNamespace: <http://sgpfc.igae.minhac.es/Adenda/XMLPersonal>

Elements

### Personal

#### element Personal

diagram



namespace <http://sgpfc.igae.minhac.es/Adenda/XMLPersonal>

children [RegistroCabecera](#) [RegistroDetalleEfectivos](#)

annotation documentation Esquema para el intercambio de personal

```
<xs:element name="Personal">
  <xs:annotation>
    <xs:documentation>Esquema para el intercambio de personal</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="RegistroCabecera">
        <xs:complexType>
          <xs:attribute name="numefectivos" type="xs:integer" use="required"/>
          <xs:attribute name="ejercicio" use="required">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:length value="4"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:attribute>
        </xs:complexType>
      </xs:element>
      <xs:sequence maxOccurs="unbounded">
        <xs:element name="RegistroDetalleEfectivos">
          <xs:complexType>
            <xs:sequence minOccurs="0">
              <xs:element name="NivelesEfectivos" minOccurs="0" maxOccurs="unbounded">
                <xs:complexType>
                  <xs:attribute name="nivel" use="required">
                    <xs:simpleType>
                      <xs:restriction base="xs:string">
                        <xs:length value="2"/>
                      </xs:restriction>
                    </xs:simpleType>
                  </xs:attribute>
                  <xs:attribute name="numefectivos" use="required">
                    <xs:simpleType>
                      <xs:restriction base="xs:string">
                        <xs:maxLength value="6"/>
                      </xs:restriction>
                    </xs:simpleType>
                  </xs:attribute>
                </xs:complexType>
              </xs:element>
              <xs:element name="SingularesEfectivos" minOccurs="0" maxOccurs="unbounded">
                <xs:complexType>
                  <xs:attribute name="compsingular" use="required">
                    <xs:simpleType>
                      <xs:restriction base="xs:string">
                        <xs:length value="2"/>
                      </xs:restriction>
                    </xs:simpleType>
                  </xs:attribute>
                </xs:complexType>
              </xs:element>
            </xs:sequence>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

```

</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="numefectivos" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
<xs:element name="OfertasEmpleoPublico" minOccurs="0" maxOccurs="unbounded">
<xs:complexType>
<xs:attribute name="cuerpo" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="4"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactincanterior" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactincactual" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactincotros" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactdecjubilaciones" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactdecotras" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepproxincactual" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepproxdecjubilaciones" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepproxvariaciones" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>

```

```

</xs:attribute>
<xs:attribute name="oeppropuestaefectivos" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:maxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
</xs:sequence>
<xs:attribute name="ejercicio" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="4"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="seccion" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="2"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="organismo" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="3"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="unidadorganica" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="4"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="areagasto" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="1"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="politica" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="1"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="grupoprograma" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="1"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="programa" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="1"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="tipopersonal" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="3"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="grupo" use="required">
<xs:simpleType>

```

```

<xs:restriction base="xs:string">
  <xsmaxLength value="2"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="empleo" use="required">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="3"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efectivoscatalogo" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xsmaxLength value="6"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efectivosenero" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xsmaxLength value="6"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="sueldoenero" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="11"/>
    <xs:fractionDigits value="2"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="complementodestino" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="11"/>
    <xs:fractionDigits value="2"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="complementoespecifico" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="11"/>
    <xs:fractionDigits value="2"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="complementosingular" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="11"/>
    <xs:fractionDigits value="2"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="totalretesenero" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="13"/>
    <xs:fractionDigits value="2"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="mediaretbasicasenero" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="11"/>
    <xs:fractionDigits value="3"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="mediaretcomplenero" use="optional">
<xs:simpleType>

```

```

<xs:restriction base="xs:decimal">
  <xs:totalDigits value="11"/>
  <xs:fractionDigits value="3"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efectivosdiciembre" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="6"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="totalretdiciembre" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="13"/>
    <xs:fractionDigits value="2"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="mediaretbasicas" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="11"/>
    <xs:fractionDigits value="3"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="mediaretcampantiguas" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="11"/>
    <xs:fractionDigits value="3"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="mediaretcampnuevas" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="11"/>
    <xs:fractionDigits value="3"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efectivospropuesta" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="6"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="totalretpropuesta" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="13"/>
    <xs:fractionDigits value="2"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efecsolicitados1" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="6"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efecsolicitados2" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="6"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efecsolicitados3" use="optional">
<xs:simpleType>

```


```

<xs:restriction base="xs:string">
  <xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:sequence>
</xs:complexType>
</xs:element>

```

### element Personal/RegistroCabecera

diagram



namespace <http://sgpfc.igae.minhac.es/Adenda/XMLPersonal>

attributes	Name	Type	Use	Default	Fixed
	numefectivos	xs:integer	required		
	ejercicio	xs:string	required		

source


```

<xs:element name="RegistroCabecera">
<xs:complexType>
<xs:attribute name="numefectivos" type="xs:integer" use="required"/>
<xs:attribute name="ejercicio" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
  <xs:length value="4"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

```

### element Personal/RegistroDetalleEfectivos

diagram



namespace <http://sgpfc.igae.minhac.es/Adenda/XMLPersonal>

children	<a href="#">NivelesEfectivos</a> <a href="#">SingularesEfectivos</a> <a href="#">OfertasEmpleoPublico</a>				
attributes	Name	Type	Use	Default	Fixed
	ejercicio	xs:string	required		
	seccion	xs:string	required		
	organismo	xs:string	required		
	unidadorganica	xs:string	required		
	areagasto	xs:string	required		
	politica	xs:string	required		
	grupoprograma	xs:string	required		
	programa	xs:string	required		
	tipopersonal	xs:string	required		
	grupo	xs:string	required		
	empleo	xs:string	required		
	efectivoscatalogo	xs:string	optional		
	efectivosenero	xs:string	optional		
	sueldoenero	xs:decimal	optional		
	complementodestino	xs:decimal	optional		
	complementoespecifi	xs:decimal	optional		
	co				
	complementosingular	xs:decimal	optional		

totalretesenero	xs:decimal	optional
mediaretbasicasenero	xs:decimal	optional
o		
mediaretcomplenero	xs:decimal	optional
efectivosdiciembre	xs:string	optional
totalretdiciembre	xs:decimal	optional
mediaretbasicas	xs:decimal	optional
mediaretcompantigua	xs:decimal	optional
s		
mediaretcompnuevas	xs:decimal	optional
efectivospropuesta	xs:string	optional
totalretpropuesta	xs:decimal	optional
efecsolicitados1	xs:string	optional
efecsolicitados2	xs:string	optional
efecsolicitados3	xs:string	optional

source <xs:element name="RegistroDetalleEfectivos">

```

<xs:complexType>
  <xs:sequence minOccurs="0">
    <xs:element name="NivelesEfectivos" minOccurs="0" maxOccurs="unbounded">
      <xs:complexType>
        <xs:attribute name="nivel" use="required">
          <xs:simpleType>
            <xs:restriction base="xs:string">
              <xs:length value="2"/>
            </xs:restriction>
          </xs:simpleType>
        </xs:attribute>
        <xs:attribute name="numefectivos" use="required">
          <xs:simpleType>
            <xs:restriction base="xs:string">
              <xs:maxLength value="6"/>
            </xs:restriction>
          </xs:simpleType>
        </xs:attribute>
      </xs:complexType>
    </xs:element>
    <xs:element name="SingularesEfectivos" minOccurs="0" maxOccurs="unbounded">
      <xs:complexType>
        <xs:attribute name="compsingular" use="required">
          <xs:simpleType>
            <xs:restriction base="xs:string">
              <xs:length value="2"/>
            </xs:restriction>
          </xs:simpleType>
        </xs:attribute>
        <xs:attribute name="numefectivos" use="required">
          <xs:simpleType>
            <xs:restriction base="xs:string">
              <xs:maxLength value="6"/>
            </xs:restriction>
          </xs:simpleType>
        </xs:attribute>
      </xs:complexType>
    </xs:element>
    <xs:element name="OfertasEmpleoPublico" minOccurs="0" maxOccurs="unbounded">
      <xs:complexType>
        <xs:attribute name="cuerpo" use="required">
          <xs:simpleType>
            <xs:restriction base="xs:string">
              <xs:length value="4"/>
            </xs:restriction>
          </xs:simpleType>
        </xs:attribute>
        <xs:attribute name="oepactincanterior" use="optional">
          <xs:simpleType>
            <xs:restriction base="xs:string">
              <xs:maxLength value="6"/>
            </xs:restriction>
          </xs:simpleType>
        </xs:attribute>
        <xs:attribute name="oepactincactual" use="optional">
          <xs:simpleType>
            <xs:restriction base="xs:string">
              <xs:maxLength value="6"/>
            </xs:restriction>
          </xs:simpleType>
        </xs:attribute>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>

```

```

</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactincotros" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactdecjubilaciones" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactdecotras" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepproxincactual" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepproxdecjubilaciones" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oepproxvariaciones" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="oeppropuestaefectivos" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xsmaxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
</xs:sequence>
<xs:attribute name="ejercicio" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="4"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="seccion" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="2"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="organismo" use="required">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="3"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="unidadorganica" use="required">

```

```

<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="4"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="areagasto" use="required">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="1"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="politica" use="required">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="1"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="grupoprograma" use="required">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="1"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="programa" use="required">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="1"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="tipopersonal" use="required">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="3"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="grupo" use="required">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="2"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="empleo" use="required">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="3"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efectivoscatalogo" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="6"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efectivosenero" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="6"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="sueldoenero" use="optional">
<xs:simpleType>
  <xs:restriction base="xs:decimal">
    <xs:totalDigits value="11"/>
    <xs:fractionDigits value="2"/>
  </xs:restriction>
</xs:simpleType>

```

```

</xs:attribute>
<xs:attribute name="complementodestino" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="11"/>
<xs:fractionDigits value="2"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="complementoespecifico" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="11"/>
<xs:fractionDigits value="2"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="complementosingular" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="11"/>
<xs:fractionDigits value="2"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="totalretesenero" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="13"/>
<xs:fractionDigits value="2"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="mediaretbasicasenero" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="11"/>
<xs:fractionDigits value="3"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="mediaretcomplenero" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="11"/>
<xs:fractionDigits value="3"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efectivosdiciembre" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:maxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="totalretdiciembre" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="13"/>
<xs:fractionDigits value="2"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="mediaretbasicas" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="11"/>
<xs:fractionDigits value="3"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="mediaretcompantiguas" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="11"/>

```

```

<xs:fractionDigits value="3"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="mediaretcopnuevas" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="11"/>
<xs:fractionDigits value="3"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efectivospropuesta" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:maxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="totalretpropuesta" use="optional">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:totalDigits value="13"/>
<xs:fractionDigits value="2"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efecsolicitados1" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:maxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efecsolicitados2" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:maxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="efecsolicitados3" use="optional">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:maxLength value="6"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

```

## element Personal/RegistroDetalleEfectivos/NivelesEfectivos

diagram



namespace	http://sgpfc.igae.minhac.es/Adenda/XMLPersonal				
attributes	Name nivel numefectivos	Type xs:string xs:string	Use required required	Default	Fixed
source	<xs:element name="NivelesEfectivos" minOccurs="0" maxOccurs="unbounded"> <xs:complexType> <xs:attribute name="nivel" use="required"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:length value="2"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute name="numefectivos" use="required"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="6"/>				

```

    </xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

```

## element Personal/RegistroDetalleEfectivos/SingularesEfectivos

diagram

**SingularesEfectivos**

namespace	http://sgpfc.igae.minhac.es/Adenda/XMLPersonal				
attributes	Name compsingular numefectivos	Type xs:string xs:string	Use required required	Default	Fixed
source	<xs:element name="SingularesEfectivos" minOccurs="0" maxOccurs="unbounded"> <xs:complexType> <xs:attribute name="compsingular" use="required"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:length value="2"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute name="numefectivos" use="required"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="6"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element>				

## element Personal/RegistroDetalleEfectivos/OfertasEmpleoPublico

diagram

**OfertasEmpleoPublico**

namespace	http://sgpfc.igae.minhac.es/Adenda/XMLPersonal				
attributes	Name cuerpo oepactincanterior oepactincactual oepactincotros oepactdecjubilacione s oepactdecotras oepproxincactual oepproxdecjubilacion es oepproxvaraciones oeppropuestaefectivo s	Type xs:string xs:string xs:string xs:string xs:string s xs:string xs:string xs:string es xs:string xs:string s	Use required optional optional optional optional optional optional optional optional optional optional optional optional optional optional	Default	Fixed
source	<xs:element name="OfertasEmpleoPublico" minOccurs="0" maxOccurs="unbounded"> <xs:complexType> <xs:attribute name="cuerpo" use="required"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:length value="4"/> </xs:restriction> </xs:simpleType> </xs:attribute> <xs:attribute name="oepactincanterior" use="optional"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="6"/> </xs:restriction> </xs:simpleType> </xs:attribute>				

```

<xs:attribute name="oepactincactual" use="optional">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="6"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactincotros" use="optional">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="6"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactdecjubilaciones" use="optional">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="6"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="oepactdecotras" use="optional">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="6"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="oepproxincactual" use="optional">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="6"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="oepproxdecjubilaciones" use="optional">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="6"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="oepproxvariaciones" use="optional">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="6"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="oeppropuestaefectivos" use="optional">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="6"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

```