

## Schema **XmlCreditosTablas.xsd**

schema location: [XmlCreditosTablas.xsd](#)  
attribute form default: **unqualified**  
element form default: **qualified**  
targetNamespace: **http://sgpfc.igae.minhac.es/Quanto/CreditosTablas**

Elements  
[Estructura](#)

element **Estructura**

<p>diagram</p>	
<p>namespace</p>	<p><a href="http://sgpfc.igae.minhac.es/Quanto/CreditosTablas">http://sgpfc.igae.minhac.es/Quanto/CreditosTablas</a></p>
<p>properties</p>	<p>content complex</p>
<p>children</p>	<p><a href="#">Subsectores</a> <a href="#">Secciones</a> <a href="#">Organicas</a> <a href="#">CentrosCoste</a> <a href="#">AreasGasto</a> <a href="#">Politicas</a> <a href="#">GruposPrograma</a> <a href="#">Programas</a> <a href="#">Subprogramas</a> <a href="#">Capitulos</a> <a href="#">Articulos</a> <a href="#">Economicas</a> <a href="#">SctosPartidas</a> <a href="#">Comunidades</a> <a href="#">Provincias</a> <a href="#">Agentes</a> <a href="#">Entidades</a> <a href="#">OrigenTransferencias</a> <a href="#">Consolidacion</a> <a href="#">Vinculacion</a> <a href="#">Componentes</a> <a href="#">Inversiones</a></p>

source

```
<xsd:element name="Estructura">
  <xsd:complexType>
    <xsd:choice>
      <xsd:element name="Subsectores" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
              <xsd:complexType>
                <xsd:simpleContent>
                  <xsd:extension base="xsd:string">
                    <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                    <xsd:attribute name="subsector" type="xsd:string" use="required"/>
                    <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                  </xsd:extension>
                </xsd:simpleContent>
              </xsd:complexType>
            </xsd:element>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="Secciones" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
              <xsd:complexType>
                <xsd:simpleContent>
                  <xsd:extension base="xsd:string">
                    <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                    <xsd:attribute name="seccion" type="xsd:string" use="required"/>
                    <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                  </xsd:extension>
                </xsd:simpleContent>
              </xsd:complexType>
            </xsd:element>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="Organicas" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
              <xsd:complexType>
                <xsd:simpleContent>
                  <xsd:extension base="xsd:string">
                    <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                    <xsd:attribute name="subsector" type="xsd:string" use="required"/>
                    <xsd:attribute name="seccion" type="xsd:string" use="required"/>
                    <xsd:attribute name="organismo" type="xsd:string" use="required"/>
                    <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                  </xsd:extension>
                </xsd:simpleContent>
              </xsd:complexType>
            </xsd:element>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
    </xsd:choice>
  </xsd:complexType>
</xsd:element>
```

```

</xsd:element>
<xsd:element name="CentrosCoste" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="seccion" type="xsd:string" use="required"/>
              <xsd:attribute name="organismo" type="xsd:string" use="required"/>
              <xsd:attribute name="ccoste" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="AreasGasto" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="areagasto" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Políticas" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="areagasto" type="xsd:string" use="required"/>
              <xsd:attribute name="politica" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="GruposPrograma" minOccurs="0">

```

```

<xsd:complexType>
  <xsd:sequence>
    <xsd:element name="Registro" maxOccurs="unbounded">
      <xsd:complexType>
        <xsd:simpleContent>
          <xsd:extension base="xsd:string">
            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
            <xsd:attribute name="areagasto" type="xsd:string" use="required"/>
            <xsd:attribute name="politica" type="xsd:string" use="required"/>
            <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/>
            <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
          </xsd:extension>
        </xsd:simpleContent>
      </xsd:complexType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Programas" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="areagasto" type="xsd:string" use="required"/>
              <xsd:attribute name="politica" type="xsd:string" use="required"/>
              <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/>
              <xsd:attribute name="programa" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Subprogramas" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="seccion" type="xsd:string" use="required"/>
              <xsd:attribute name="organismo" type="xsd:string" use="required"/>
              <xsd:attribute name="programa" type="xsd:string" use="required"/>
              <xsd:attribute name="subprograma" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

```

```

</xsd:complexType>
</xsd:element>
<xsd:element name="Capitulos" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="tipo" type="xsd:string" use="required"/>
              <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Articulos" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="tipo" type="xsd:string" use="required"/>
              <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
              <xsd:attribute name="articulo" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Economicas" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="seccion" type="xsd:string" use="optional"/>
              <xsd:attribute name="organismo" type="xsd:string" use="optional"/>
              <xsd:attribute name="tipo" type="xsd:string" use="required"/>
              <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
              <xsd:attribute name="articulo" type="xsd:string" use="required"/>
              <xsd:attribute name="economica" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

```

```

</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="SctosPartidas" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Registro" maxOccurs="unbounded">
<xsd:complexType>
<xsd:simpleContent>
<xsd:extension base="xsd:string">
<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
<xsd:attribute name="seccion" type="xsd:string" use="required"/>
<xsd:attribute name="organismo" type="xsd:string" use="required"/>
<xsd:attribute name="tipo" type="xsd:string" use="required"/>
<xsd:attribute name="capitulo" type="xsd:string" use="required"/>
<xsd:attribute name="articulo" type="xsd:string" use="required"/>
<xsd:attribute name="economica" type="xsd:string" use="required"/>
<xsd:attribute name="sctopartida" type="xsd:string" use="required"/>
<xsd:attribute name="denominacion" type="xsd:string" use="required"/>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Comunidades" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Registro" maxOccurs="unbounded">
<xsd:complexType>
<xsd:simpleContent>
<xsd:extension base="xsd:string">
<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
<xsd:attribute name="comunidad" type="xsd:string" use="required"/>
<xsd:attribute name="denominacion" type="xsd:string" use="required"/>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Provincias" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Registro" maxOccurs="unbounded">
<xsd:complexType>
<xsd:simpleContent>
<xsd:extension base="xsd:string">
<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
<xsd:attribute name="comunidad" type="xsd:string" use="required"/>
<xsd:attribute name="provincia" type="xsd:string" use="required"/>
<xsd:attribute name="denominacion" type="xsd:string" use="required"/>

```

```

        </xsd:extension>
        </xsd:simpleContent>
    </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Agentes" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
                <xsd:complexType>
                    <xsd:simpleContent>
                        <xsd:extension base="xsd:string">
                            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                            <xsd:attribute name="tipo" type="xsd:string" use="required"/>
                            <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
                            <xsd:attribute name="articulo" type="xsd:string" use="required"/>
                            <xsd:attribute name="agente" type="xsd:string" use="required"/>
                            <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                        </xsd:extension>
                    </xsd:simpleContent>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Entidades" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
                <xsd:complexType>
                    <xsd:simpleContent>
                        <xsd:extension base="xsd:string">
                            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                            <xsd:attribute name="tipo" type="xsd:string" use="required"/>
                            <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
                            <xsd:attribute name="entidad" type="xsd:string" use="required"/>
                            <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                        </xsd:extension>
                    </xsd:simpleContent>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="OrigenTransferencias" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
                <xsd:complexType>
                    <xsd:simpleContent>
                        <xsd:extension base="xsd:string">
                            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                            <xsd:attribute name="seccion" type="xsd:string" use="required"/>
                            <xsd:attribute name="organismo" type="xsd:string" use="required"/>
                        </xsd:extension>
                    </xsd:simpleContent>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>

```

```

<xsd:attribute name="economica" type="xsd:string" use="required"/>
<xsd:attribute name="seccionorigen" type="xsd:string" use="required"/>
<xsd:attribute name="organismoorigen" type="xsd:string" use="required"/>
<xsd:attribute name="areagastoorigen" type="xsd:string" use="required"/>
<xsd:attribute name="politicaorigen" type="xsd:string" use="required"/>
<xsd:attribute name="grupoprogramaorigen" type="xsd:string" use="required"/>
<xsd:attribute name="programaorigen" type="xsd:string" use="required"/>
<xsd:attribute name="economicaorigen" type="xsd:string" use="required"/>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Consolidacion" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Registro" maxOccurs="unbounded">
<xsd:complexType>
<xsd:simpleContent>
<xsd:extension base="xsd:string">
<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
<xsd:attribute name="subsector" type="xsd:string" use="required"/>
<xsd:attribute name="seccion" type="xsd:string" use="required"/>
<xsd:attribute name="organica" type="xsd:string" use="required"/>
<xsd:attribute name="programa" type="xsd:string" use="required"/>
<xsd:attribute name="tipo" type="xsd:string" use="required"/>
<xsd:attribute name="capitulo" type="xsd:string" use="required"/>
<xsd:attribute name="articulo" type="xsd:string" use="required"/>
<xsd:attribute name="economica" type="xsd:string" use="required"/>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Vinculacion" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Registro" maxOccurs="unbounded">
<xsd:complexType>
<xsd:simpleContent>
<xsd:extension base="xsd:string">
<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
<xsd:attribute name="subsector" type="xsd:string" use="required"/>
<xsd:attribute name="seccion" type="xsd:string" use="required"/>
<xsd:attribute name="organismo" type="xsd:string" use="required"/>
<xsd:attribute name="programa" type="xsd:string" use="required"/>
<xsd:attribute name="capitulo" type="xsd:string" use="required"/>
<xsd:attribute name="articulo" type="xsd:string" use="required"/>
<xsd:attribute name="economica" type="xsd:string" use="required"/>
<xsd:attribute name="nivel" type="xsd:string" use="required"/>
<xsd:attribute name="grupo" type="xsd:string" use="required"/>
</xsd:extension>

```


```

        </xsd:simpleContent>
    </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Componentes" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
                <xsd:complexType>
                    <xsd:simpleContent>
                        <xsd:extension base="xsd:string">
                            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                            <xsd:attribute name="componente" type="xsd:string" use="required"/>
                            <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                            <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/>
                        </xsd:extension>
                    </xsd:simpleContent>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Inversiones" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
                <xsd:complexType>
                    <xsd:simpleContent>
                        <xsd:extension base="xsd:string">
                            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                            <xsd:attribute name="componente" type="xsd:string" use="required"/>
                            <xsd:attribute name="inversion" type="xsd:string" use="required"/>
                            <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                            <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/>
                            <xsd:attribute name="programa" type="xsd:string" use="required"/>
                        </xsd:extension>
                    </xsd:simpleContent>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
</xsd:choice>
</xsd:complexType>
</xsd:element>

```

element **Estructura/Subsectores**

diagram



namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Subsectores" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="subsector" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

element **Estructura/Subsectores/Registro**

diagram																									
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																								
type	extension of <b>xsd:string</b>																								
properties	isRef 0 minOcc 1 maxOcc unbounded content complex																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">ejercicio</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">subsector</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">denominacion</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	<a href="#">ejercicio</a>	<b>xsd:string</b>	required				<a href="#">subsector</a>	<b>xsd:string</b>	required				<a href="#">denominacion</a>	<b>xsd:string</b>	required			
Name	Type	Use	Default	Fixed	annotation																				
<a href="#">ejercicio</a>	<b>xsd:string</b>	required																							
<a href="#">subsector</a>	<b>xsd:string</b>	required																							
<a href="#">denominacion</a>	<b>xsd:string</b>	required																							
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="subsector" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>																								

	<pre> &lt;/xsd:simpleContent&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	---

attribute **Estructura/Subsectores/Registro/@ejercicio**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>

attribute **Estructura/Subsectores/Registro/@subsector**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="subsector" type="xsd:string" use="required"/>

attribute **Estructura/Subsectores/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="denominacion" type="xsd:string" use="required"/>

element **Estructura/Secciones**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Secciones" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

	<pre> &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	--

element **Estructura/Secciones/Registro**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">seccion</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

attribute **Estructura/Secciones/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Secciones/Registro/@seccion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Secciones/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="denominacion" type="xsd:string" use="required"/>

element **Estructura/Organicas**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Organicas" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="subsector" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

element **Estructura/Organicas/Registro**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">subsector</a>	<b>xsd:string</b>	required			
	<a href="#">seccion</a>	<b>xsd:string</b>	required			
	<a href="#">organismo</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="subsector" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

attribute **Estructura/Organicas/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Organicas/Registro/@subsector**

type	<b>xsd:string</b>
properties	isRef 0 use required

source	<code>&lt;xsd:attribute name="subsector" type="xsd:string" use="required"/&gt;</code>
--------	---

attribute **Estructura/Organicas/Registro/@seccion**

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;</code>


attribute **Estructura/Organicas/Registro/@organismo**

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Organicas/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;</code>

element **Estructura/CentrosCoste**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre>&lt;xsd:element name="CentrosCoste" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="ccoste" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

```

</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

### element Estructura/CentrosCoste/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">seccion</a>	<b>xsd:string</b>	required			
	<a href="#">organismo</a>	<b>xsd:string</b>	required			
	<a href="#">ccoste</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="ccoste" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

### attribute Estructura/CentrosCoste/Registro/@ejercicio

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/CentrosCoste/Registro/@seccion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/CentrosCoste/Registro/@organismo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;</code>


attribute **Estructura/CentrosCoste/Registro/@ccoste**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="ccoste" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/CentrosCoste/Registro/@denominacion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;</code>

element **Estructura/AreasGasto**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre>&lt;xsd:element name="AreasGasto" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="areagasto" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

```

<xsd:attribute name="denominacion" type="xsd:string" use="required"/>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element **Estructura/AreasGasto/Registro**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">areagasto</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt; &lt;xsd:complexType&gt; &lt;xsd:simpleContent&gt; &lt;xsd:extension base="xsd:string"&gt; &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="areagasto" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt; &lt;/xsd:extension&gt; &lt;/xsd:simpleContent&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

attribute **Estructura/AreasGasto/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/AreasGasto/Registro/@areagasto**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="areagasto" type="xsd:string" use="required"/>

attribute **Estructura/AreasGasto/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="denominacion" type="xsd:string" use="required"/>

element **Estructura/Politicass**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Politicass" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="areagasto" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="politica" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

### element Estructura/Políticas/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0	minOcc	1	maxOcc	unbounded
	content					complex
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">areagasto</a>	<b>xsd:string</b>	required			
	<a href="#">politica</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="areagasto" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="politica" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

### attribute Estructura/Políticas/Registro/@ejercicio

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</code>

### attribute Estructura/Políticas/Registro/@areagasto

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="areagasto" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Politiclas/Registro/@politica**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="politica" type="xsd:string" use="required"/>

attribute **Estructura/Politiclas/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="denominacion" type="xsd:string" use="required"/>

element **Estructura/GruposPrograma**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="GruposPrograma" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="areagasto" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="politica" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="grupoprograma" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

element **Estructura/GruposPrograma/Registro**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">areagasto</a>	<b>xsd:string</b>	required			
	<a href="#">politica</a>	<b>xsd:string</b>	required			
	<a href="#">grupoprograma</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="areagasto" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="politica" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="grupoprograma" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

attribute **Estructura/GruposPrograma/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/GruposPrograma/Registro/@areagasto**

type	<b>xsd:string</b>
properties	isRef 0 use required

source	<code>&lt;xsd:attribute name="areagasto" type="xsd:string" use="required"/&gt;</code>
--------	---

attribute **Estructura/GruposPrograma/Registro/@politica**

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="politica" type="xsd:string" use="required"/&gt;</code>


attribute **Estructura/GruposPrograma/Registro/@grupoprograma**

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="grupoprograma" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/GruposPrograma/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;</code>

element **Estructura/Programas**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre>&lt;xsd:element name="Programas" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="areagasto" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="politica" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="grupoprograma" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

```

</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element **Estructura/Programas/Registro**

diagram																																											
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																																										
type	extension of <b>xsd:string</b>																																										
properties	<table border="0"> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>1</td></tr> <tr><td>maxOcc</td><td>unbounded</td></tr> <tr><td>content</td><td>complex</td></tr> </table>	isRef	0	minOcc	1	maxOcc	unbounded	content	complex																																		
isRef	0																																										
minOcc	1																																										
maxOcc	unbounded																																										
content	complex																																										
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">ejercicio</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">areagasto</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">politica</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">grupoprograma</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">programa</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">denominacion</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	<a href="#">ejercicio</a>	<b>xsd:string</b>	required				<a href="#">areagasto</a>	<b>xsd:string</b>	required				<a href="#">politica</a>	<b>xsd:string</b>	required				<a href="#">grupoprograma</a>	<b>xsd:string</b>	required				<a href="#">programa</a>	<b>xsd:string</b>	required				<a href="#">denominacion</a>	<b>xsd:string</b>	required			
Name	Type	Use	Default	Fixed	annotation																																						
<a href="#">ejercicio</a>	<b>xsd:string</b>	required																																									
<a href="#">areagasto</a>	<b>xsd:string</b>	required																																									
<a href="#">politica</a>	<b>xsd:string</b>	required																																									
<a href="#">grupoprograma</a>	<b>xsd:string</b>	required																																									
<a href="#">programa</a>	<b>xsd:string</b>	required																																									
<a href="#">denominacion</a>	<b>xsd:string</b>	required																																									
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="areagasto" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="politica" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="grupoprograma" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>																																										

attribute **Estructura/Programas/Registro/@ejercicio**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>

attribute **Estructura/Programas/Registro/@areagasto**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="areagasto" type="xsd:string" use="required"/>

attribute **Estructura/Programas/Registro/@politica**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="politica" type="xsd:string" use="required"/>

attribute **Estructura/Programas/Registro/@grupoprograma**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="grupoprograma" type="xsd:string" use="required"/>

attribute **Estructura/Programas/Registro/@programa**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="programa" type="xsd:string" use="required"/>

attribute **Estructura/Programas/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="denominacion" type="xsd:string" use="required"/>

element **Estructura/Subprogramas**

diagram	<pre> classDiagram     class Subprogramas     class Registro     Subprogramas "1" -- "1..∞" Registro     </pre>
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas

properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Subprogramas" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="subprograma" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

element **Estructura/Subprogramas/Registro**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef 0 minOcc 1 maxOcc unbounded content complex					
attributes	Name <a href="#">ejercicio</a> <a href="#">seccion</a> <a href="#">organismo</a> <a href="#">programa</a>	Type <b>xsd:string</b> <b>xsd:string</b> <b>xsd:string</b> <b>xsd:string</b>	Use required required required required	Default 	Fixed 	annotation 

	<a href="#">subprograma</a>	xsd:string	required
	<a href="#">denominacion</a>	xsd:string	required
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="subprograma" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>		

attribute **Estructura/Subprogramas/Registro/@ejercicio**

type	xsd:string
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Subprogramas/Registro/@seccion**

type	xsd:string
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Subprogramas/Registro/@organismo**

type	xsd:string
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Subprogramas/Registro/@programa**

type	xsd:string
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Subprogramas/Registro/@subprograma**

type	xsd:string
------	------------

properties	isRef 0 use required
source	<xsd:attribute name="subprograma" type="xsd:string" use="required"/>

attribute **Estructura/Subprogramas/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="denominacion" type="xsd:string" use="required"/>

element **Estructura/Capitulos**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Capitulos" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

### element Estructura/Capitulos/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">tipo</a>	<b>xsd:string</b>	required			
	<a href="#">capitulo</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

### attribute Estructura/Capitulos/Registro/@ejercicio

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

### attribute Estructura/Capitulos/Registro/@tipo

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Capitulos/Registro/@capitulo**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="capitulo" type="xsd:string" use="required"/>

attribute **Estructura/Capitulos/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="denominacion" type="xsd:string" use="required"/>

element **Estructura/Articulos**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Articulos" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

element **Estructura/Articulos/Registro**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">tipo</a>	<b>xsd:string</b>	required			
	<a href="#">capitulo</a>	<b>xsd:string</b>	required			
	<a href="#">articulo</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

attribute **Estructura/Articulos/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Articulos/Registro/@tipo**

type	<b>xsd:string</b>
properties	isRef 0 use required

source	<code>&lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;</code>
--------	--

attribute **Estructura/Articulos/Registro/@capitulo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Articulos/Registro/@articulo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Articulos/Registro/@denominacion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;</code>

element **Estructura/Economicas**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Economicas" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="seccion" type="xsd:string" use="optional"/&gt;               &lt;xsd:attribute name="organismo" type="xsd:string" use="optional"/&gt;               &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             </pre>

```

</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

### element Estructura/Economicas/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">seccion</a>	<b>xsd:string</b>	optional			
	<a href="#">organismo</a>	<b>xsd:string</b>	optional			
	<a href="#">tipo</a>	<b>xsd:string</b>	required			
	<a href="#">capitulo</a>	<b>xsd:string</b>	required			
	<a href="#">articulo</a>	<b>xsd:string</b>	required			
	<a href="#">economica</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="seccion" type="xsd:string" use="optional"/&gt;         &lt;xsd:attribute name="organismo" type="xsd:string" use="optional"/&gt;         &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

	<pre> &lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt; &lt;/xsd:extension&gt; &lt;/xsd:simpleContent&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	---

attribute **Estructura/Economicas/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Economicas/Registro/@seccion**

type	<b>xsd:string</b>
properties	isRef 0 use optional
source	<pre>&lt;xsd:attribute name="seccion" type="xsd:string" use="optional"/&gt;</pre>

attribute **Estructura/Economicas/Registro/@organismo**

type	<b>xsd:string</b>
properties	isRef 0 use optional
source	<pre>&lt;xsd:attribute name="organismo" type="xsd:string" use="optional"/&gt;</pre>

attribute **Estructura/Economicas/Registro/@tipo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Economicas/Registro/@capitulo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Economicas/Registro/@articulo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Economicas/Registro/@economica**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;</code>


attribute **Estructura/Economicas/Registro/@denominacion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;</code>

element **Estructura/SctosPartidas**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="SctosPartidas" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="sctopartida" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

element **Estructura/SctosPartidas/Registro**

<p>diagram</p>																																																													
<p>namespace</p>	<p>http://sgpfc.igae.minhac.es/Quanto/CreditosTablas</p>																																																												
<p>type</p>	<p>extension of <b>xsd:string</b></p>																																																												
<p>properties</p>	<p>isRef 0  minOcc 1  maxOcc unbounded  content complex</p>																																																												
<p>attributes</p>	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">ejercicio</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">seccion</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">organismo</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">tipo</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">capitulo</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">articulo</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">economica</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">sctopartida</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">denominacion</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	<a href="#">ejercicio</a>	<b>xsd:string</b>	required				<a href="#">seccion</a>	<b>xsd:string</b>	required				<a href="#">organismo</a>	<b>xsd:string</b>	required				<a href="#">tipo</a>	<b>xsd:string</b>	required				<a href="#">capitulo</a>	<b>xsd:string</b>	required				<a href="#">articulo</a>	<b>xsd:string</b>	required				<a href="#">economica</a>	<b>xsd:string</b>	required				<a href="#">sctopartida</a>	<b>xsd:string</b>	required				<a href="#">denominacion</a>	<b>xsd:string</b>	required			
Name	Type	Use	Default	Fixed	annotation																																																								
<a href="#">ejercicio</a>	<b>xsd:string</b>	required																																																											
<a href="#">seccion</a>	<b>xsd:string</b>	required																																																											
<a href="#">organismo</a>	<b>xsd:string</b>	required																																																											
<a href="#">tipo</a>	<b>xsd:string</b>	required																																																											
<a href="#">capitulo</a>	<b>xsd:string</b>	required																																																											
<a href="#">articulo</a>	<b>xsd:string</b>	required																																																											
<a href="#">economica</a>	<b>xsd:string</b>	required																																																											
<a href="#">sctopartida</a>	<b>xsd:string</b>	required																																																											
<a href="#">denominacion</a>	<b>xsd:string</b>	required																																																											
<p>source</p>	<pre>&lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="sctopartida" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>																																																												

	<pre>&lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>
--	--

attribute **Estructura/SctosPartidas/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/SctosPartidas/Registro/@seccion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/SctosPartidas/Registro/@organismo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/SctosPartidas/Registro/@tipo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/SctosPartidas/Registro/@capitulo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/SctosPartidas/Registro/@articulo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/SctosPartidas/Registro/@economica**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="economica" type="xsd:string" use="required"/>

attribute **Estructura/SctosPartidas/Registro/@sctopartida**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="sctopartida" type="xsd:string" use="required"/>

attribute **Estructura/SctosPartidas/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="denominacion" type="xsd:string" use="required"/>

element **Estructura/Comunidades**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Comunidades" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="comunidad" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

### element Estructura/Comunidades/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">comunidad</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="comunidad" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

### attribute Estructura/Comunidades/Registro/@ejercicio

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

### attribute Estructura/Comunidades/Registro/@comunidad


type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="comunidad" type="xsd:string" use="required"/&gt;</pre>

### attribute Estructura/Comunidades/Registro/@denominacion


type	<b>xsd:string</b>
properties	isRef 0 use required

source	<code>&lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;</code>
--------	--

**element Estructura/Provincias**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre>&lt;xsd:element name="Provincias" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="comunidad" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="provincia" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

**element Estructura/Provincias/Registro**

diagram																															
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																														
type	extension of <b>xsd:string</b>																														
properties	isRef 0 minOcc 1 maxOcc unbounded content complex																														
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>ejercicio</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>comunidad</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>provincia</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>denominacion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	ejercicio	xsd:string	required				comunidad	xsd:string	required				provincia	xsd:string	required				denominacion	xsd:string	required			
Name	Type	Use	Default	Fixed	annotation																										
ejercicio	xsd:string	required																													
comunidad	xsd:string	required																													
provincia	xsd:string	required																													
denominacion	xsd:string	required																													

	<a href="#">ejercicio</a>	xsd:string	required
	<a href="#">comunidad</a>	xsd:string	required
	<a href="#">provincia</a>	xsd:string	required
	<a href="#">denominacion</a>	xsd:string	required
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="comunidad" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="provincia" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>		

attribute **Estructura/Provincias/Registro/@ejercicio**

type	xsd:string
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Provincias/Registro/@comunidad**

type	xsd:string
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="comunidad" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Provincias/Registro/@provincia**

type	xsd:string
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="provincia" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/Provincias/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;</pre>

### element Estructura/Agentes

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Agentes" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="agente" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

### element Estructura/Agentes/Registro

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
type	extension of <b>xsd:string</b>
properties	isRef 0 minOcc 1 maxOcc unbounded content complex

attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	xsd:string	required			
	<a href="#">tipo</a>	xsd:string	required			
	<a href="#">capitulo</a>	xsd:string	required			
	<a href="#">articulo</a>	xsd:string	required			
	<a href="#">agente</a>	xsd:string	required			
	<a href="#">denominacion</a>	xsd:string	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="agente" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

#### attribute Estructura/Agentes/Registro/@ejercicio

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>

#### attribute Estructura/Agentes/Registro/@tipo

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="tipo" type="xsd:string" use="required"/>

#### attribute Estructura/Agentes/Registro/@capitulo

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="capitulo" type="xsd:string" use="required"/>

#### attribute Estructura/Agentes/Registro/@articulo

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="articulo" type="xsd:string" use="required"/>

attribute **Estructura/Agentes/Registro/@agente**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="agente" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Agentes/Registro/@denominacion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;</code>

element **Estructura/Entidades**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Entidades" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="entidad" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

### element Estructura/Entidades/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">tipo</a>	<b>xsd:string</b>	required			
	<a href="#">capitulo</a>	<b>xsd:string</b>	required			
	<a href="#">entidad</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="entidad" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

### attribute Estructura/Entidades/Registro/@ejercicio

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</code>

### attribute Estructura/Entidades/Registro/@tipo

type	<b>xsd:string</b>
properties	isRef 0 use required

source	<code>&lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;</code>
--------	--

#### attribute Estructura/Entidades/Registro/@capitulo

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;</code>

#### attribute Estructura/Entidades/Registro/@entidad

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="entidad" type="xsd:string" use="required"/&gt;</code>

#### attribute Estructura/Entidades/Registro/@denominacion

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;</code>

#### element Estructura/OrigenTransferencias


diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre>&lt;xsd:element name="OrigenTransferencias" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="seccionorigen" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="organismoorigen" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="areagastoorigen" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="politicaorigen" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

```

<xsd:attribute name="grupoprogramaorigen" type="xsd:string" use="required"/>
<xsd:attribute name="programaorigen" type="xsd:string" use="required"/>
<xsd:attribute name="economicaorigen" type="xsd:string" use="required"/>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element **Estructura/OrigenTransferencias/Registro**



namespace <http://sgpfc.igae.minhac.es/Quanto/CreditosTablas>

type extension of **xsd:string**

properties  
 isRef 0  
 minOcc 1  
 maxOcc unbounded  
 content complex

attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">seccion</a>	<b>xsd:string</b>	required			
	<a href="#">organismo</a>	<b>xsd:string</b>	required			
	<a href="#">economica</a>	<b>xsd:string</b>	required			
	<a href="#">seccionorigen</a>	<b>xsd:string</b>	required			
	<a href="#">organismoorigen</a>	<b>xsd:string</b>	required			
	<a href="#">areagastoorigen</a>	<b>xsd:string</b>	required			
	<a href="#">politicaorigen</a>	<b>xsd:string</b>	required			
	<a href="#">grupoprogramaorigen</a>	<b>xsd:string</b>	required			

	<a href="#">programaorigen</a> <b>xsd:string</b> required
	<a href="#">economicaorigen</a> <b>xsd:string</b> required
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="seccionorigen" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="organismoorigen" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="areagastoorigen" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="politicaorigen" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="grupoprogramaorigen" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="programaorigen" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="economicaorigen" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

attribute **Estructura/OrigenTransferencias/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/OrigenTransferencias/Registro/@seccion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/OrigenTransferencias/Registro/@organismo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/OrigenTransferencias/Registro/@economica**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<pre>&lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;</pre>

attribute **Estructura/OrigenTransferencias/Registro/@seccionorigen**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="seccionorigen" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/OrigenTransferencias/Registro/@organismoorigen**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="organismoorigen" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/OrigenTransferencias/Registro/@areagastoorigen**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="areagastoorigen" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/OrigenTransferencias/Registro/@politicaorigen**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="politicaorigen" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/OrigenTransferencias/Registro/@grupoprogramaorigen**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="grupoprogramaorigen" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/OrigenTransferencias/Registro/@programaorigen**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="programaorigen" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/OrigenTransferencias/Registro/@economicaorigen**

type	<b>xsd:string</b>
properties	isRef 0 use required

source	<code>&lt;xsd:attribute name="economicaorigen" type="xsd:string" use="required"/&gt;</code>
--------	---

element **Estructura/Consolidacion**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Consolidacion" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="subsector" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="organica" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

element **Estructura/Consolidacion/Registro**

diagram																																																																		
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																																																																	
type	extension of <b>xsd:string</b>																																																																	
properties	isRef 0 minOcc 1 maxOcc unbounded content complex																																																																	
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">ejercicio</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">subsector</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">seccion</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">organica</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">programa</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">tipo</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">capitulo</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">articulo</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">economica</a></td> <td><b>xsd:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	<a href="#">ejercicio</a>	<b>xsd:string</b>	required				<a href="#">subsector</a>	<b>xsd:string</b>	required				<a href="#">seccion</a>	<b>xsd:string</b>	required				<a href="#">organica</a>	<b>xsd:string</b>	required				<a href="#">programa</a>	<b>xsd:string</b>	required				<a href="#">tipo</a>	<b>xsd:string</b>	required				<a href="#">capitulo</a>	<b>xsd:string</b>	required				<a href="#">articulo</a>	<b>xsd:string</b>	required				<a href="#">economica</a>	<b>xsd:string</b>	required								
Name	Type	Use	Default	Fixed	annotation																																																													
<a href="#">ejercicio</a>	<b>xsd:string</b>	required																																																																
<a href="#">subsector</a>	<b>xsd:string</b>	required																																																																
<a href="#">seccion</a>	<b>xsd:string</b>	required																																																																
<a href="#">organica</a>	<b>xsd:string</b>	required																																																																
<a href="#">programa</a>	<b>xsd:string</b>	required																																																																
<a href="#">tipo</a>	<b>xsd:string</b>	required																																																																
<a href="#">capitulo</a>	<b>xsd:string</b>	required																																																																
<a href="#">articulo</a>	<b>xsd:string</b>	required																																																																
<a href="#">economica</a>	<b>xsd:string</b>	required																																																																
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="subsector" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="organica" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; </pre>																																																																	

	<code>&lt;/xsd:element&gt;</code>
--	-----------------------------------

attribute **Estructura/Consolidacion/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Consolidacion/Registro/@subsector**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="subsector" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Consolidacion/Registro/@seccion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Consolidacion/Registro/@organica**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="organica" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Consolidacion/Registro/@programa**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Consolidacion/Registro/@tipo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="tipo" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Consolidacion/Registro/@capitulo**

type	<b>xsd:string</b>
------	-------------------

properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;</code>


#### attribute Estructura/Consolidacion/Registro/@articulo

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;</code>

#### attribute Estructura/Consolidacion/Registro/@economica

type	xsd:string
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;</code>

#### element Estructura/Vinculacion


diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre>&lt;xsd:element name="Vinculacion" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="subsector" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="nivel" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="grupo" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

```

</xsd:complexType>
</xsd:element>

```

### element Estructura/Vinculacion/Registro



namespace <http://sgpfc.igae.minhac.es/Quanto/CreditosTablas>

type extension of **xsd:string**

properties

isRef	0
minOcc	1
maxOcc	unbounded
content	complex

attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	xsd:string	required			
	<a href="#">subsector</a>	xsd:string	required			
	<a href="#">seccion</a>	xsd:string	required			
	<a href="#">organismo</a>	xsd:string	required			
	<a href="#">programa</a>	xsd:string	required			
	<a href="#">capitulo</a>	xsd:string	required			
	<a href="#">articulo</a>	xsd:string	required			
	<a href="#">economica</a>	xsd:string	required			
	<a href="#">nivel</a>	xsd:string	required			
	<a href="#">grupo</a>	xsd:string	required			

source

```

<xsd:element name="Registro" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:simpleContent>
      <xsd:extension base="xsd:string">
        <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
        <xsd:attribute name="subsector" type="xsd:string" use="required"/>
        <xsd:attribute name="seccion" type="xsd:string" use="required"/>
        <xsd:attribute name="organismo" type="xsd:string" use="required"/>
        <xsd:attribute name="programa" type="xsd:string" use="required"/>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
</xsd:element>

```

	<pre> &lt;xsd:attribute name="capitulo" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="articulo" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="economica" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="nivel" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="grupo" type="xsd:string" use="required"/&gt; &lt;/xsd:extension&gt; &lt;/xsd:simpleContent&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	---

attribute **Estructura/Vinculacion/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Vinculacion/Registro/@subsector**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="subsector" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Vinculacion/Registro/@seccion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="seccion" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Vinculacion/Registro/@organismo**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="organismo" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Vinculacion/Registro/@programa**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Vinculacion/Registro/@capitulo**

type	<b>xsd:string</b>
------	-------------------

properties	isRef 0 use required
source	<xsd:attribute name="capitulo" type="xsd:string" use="required"/>

#### attribute Estructura/Vinculacion/Registro/@articulo

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="articulo" type="xsd:string" use="required"/>

#### attribute Estructura/Vinculacion/Registro/@economica

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="economica" type="xsd:string" use="required"/>

#### attribute Estructura/Vinculacion/Registro/@nivel

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="nivel" type="xsd:string" use="required"/>

#### attribute Estructura/Vinculacion/Registro/@grupo

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="grupo" type="xsd:string" use="required"/>

#### element Estructura/Componentes

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre>&lt;xsd:element name="Componentes" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;</pre>

```

<xsd:simpleContent>
  <xsd:extension base="xsd:string">
    <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
    <xsd:attribute name="componente" type="xsd:string" use="required"/>
    <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
    <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/>
  </xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element **Estructura/Componentes/Registro**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">componente</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
	<a href="#">grupoprograma</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="xsd:string"&gt;         &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="componente" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;         &lt;xsd:attribute name="grupoprograma" type="xsd:string" use="required"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

attribute **Estructura/Componentes/Registro/@ejercicio**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>

attribute **Estructura/Componentes/Registro/@componente**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="componente" type="xsd:string" use="required"/>


attribute **Estructura/Componentes/Registro/@denominacion**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="denominacion" type="xsd:string" use="required"/>

attribute **Estructura/Componentes/Registro/@grupoprograma**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="grupoprograma" type="xsd:string" use="required"/>

element **Estructura/Inversiones**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	<a href="#">Registro</a>
source	<pre> &lt;xsd:element name="Inversiones" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt;         &lt;xsd:complexType&gt;           &lt;xsd:simpleContent&gt;             &lt;xsd:extension base="xsd:string"&gt;               &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="componente" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="inversion" type="xsd:string" use="required"/&gt;               &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;             &lt;/xsd:extension&gt;           &lt;/xsd:simpleContent&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

```

<xsd:attribute name="grupoprograma" type="xsd:string" use="required"/>
<xsd:attribute name="programa" type="xsd:string" use="required"/>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

### element Estructura/Inversiones/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of <b>xsd:string</b>					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	<a href="#">ejercicio</a>	<b>xsd:string</b>	required			
	<a href="#">componente</a>	<b>xsd:string</b>	required			
	<a href="#">inversion</a>	<b>xsd:string</b>	required			
	<a href="#">denominacion</a>	<b>xsd:string</b>	required			
	<a href="#">grupoprograma</a>	<b>xsd:string</b>	required			
	<a href="#">programa</a>	<b>xsd:string</b>	required			
source	<pre> &lt;xsd:element name="Registro" maxOccurs="unbounded"&gt; &lt;xsd:complexType&gt; &lt;xsd:simpleContent&gt; &lt;xsd:extension base="xsd:string"&gt; &lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="componente" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="inversion" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="grupoprograma" type="xsd:string" use="required"/&gt; &lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt; &lt;/xsd:extension&gt; &lt;/xsd:simpleContent&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>					

attribute **Estructura/Inversiones/Registro/@ejercicio**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="ejercicio" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Inversiones/Registro/@componente**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="componente" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Inversiones/Registro/@inversion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="inversion" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Inversiones/Registro/@denominacion**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="denominacion" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Inversiones/Registro/@grupoprograma**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="grupoprograma" type="xsd:string" use="required"/&gt;</code>

attribute **Estructura/Inversiones/Registro/@programa**

type	<b>xsd:string</b>
properties	isRef 0 use required
source	<code>&lt;xsd:attribute name="programa" type="xsd:string" use="required"/&gt;</code>